

## What should I know about Thormoxiban?

- + Thormoxiban thins the blood, which prevents you from getting dangerous blood clots.
- + Thormoxiban must be taken exactly as prescribed by your doctor. To ensure optimal protection from blood clots, **never skip a dose.**
- + You must not stop taking Thormoxiban without first talking to your doctor as your risk of blood clots

may increase.

- + Tell your health care provider about any other medicines you are currently taking, took recently or intend to start taking, before you start Thormoxiban.
- + Tell your health care provider that you are taking Thormoxiban before any surgery or invasive procedure.

## When should I seek advice from my health care provider?

When taking a blood thinner such as Thormoxiban it is important to be aware of its possible side effects. Bleeding is the most common side effect. Do not start taking Thormoxiban if you know

you are at risk of bleeding, without first discussing this with your doctor. Tell your health care provider straight away if you have any signs or symptoms of bleeding such as the following:

- + pain
- + swelling or discomfort
- + headache, dizziness or weakness
- + unusual bruising, nose bleeds, bleeding of gums, cuts that take a long time to stop bleeding
- + menstrual flow or vaginal bleeding that is heavier than normal
- + blood in your urine which may be pink or brown, red or black stools

- + coughing up blood, or vomiting blood or material that looks like coffee grounds

## How do I take Thormoxiban?

- + To ensure optimal protection, Thormoxiban
  - 2.5 mg can be taken with or without food
  - 10 mg can be taken with or without food
  - 15 mg must be taken with food
  - 20 mg must be taken with food



May 2023

## Patient Alert Card

Thormoxiban 2.5mg ☐

Thormoxiban 10mg ☐

Thormoxiban 15mg ☐

Thormoxiban 20mg ☐

- + **Keep this card with you at all times**
- + **Present this card to every physician or dentist prior to treatment**



## I am under anticoagulation treatment with Thormoxiban (rivaroxaban)

Name: \_\_\_\_\_

Other medicines / conditions: \_\_\_\_\_

Address: \_\_\_\_\_

Birth date: \_\_\_\_\_

Weight: \_\_\_\_\_

## In case of emergency, please notify:

Doctor's name: \_\_\_\_\_

Doctor's phone: \_\_\_\_\_

Doctor's stamp: \_\_\_\_\_

## Please also notify:

Name: \_\_\_\_\_

Phone: \_\_\_\_\_

Relationship: \_\_\_\_\_

## Information for health care providers:

+ INR values should not be used as they are not a dependable measure of the anticoagulant activity of xarelto.



May 2023

## Call for reporting

The Egyptian Pharmaceutical Vigilance Center is reminding the public to report any safety information regarding human medicinal products including adverse drug reactions, medications errors, lack of efficacy and other medicine related problems through the following contacts:

The Egyptian Pharmacovigilance Center (EPVC), Central Administration for Pharmaceutical Affairs (CAPA)

Address: 21 Abd El Aziz Al Soud Street, El-Manial, Cairo, Egypt, And

PO box: 11451

Tel: (+2)02 25354100, Extension: 1470

Fax: +202 – 23610497

Website for reporting: [www.edaeegypt.gov.eg](http://www.edaeegypt.gov.eg)

Email for reporting: [pv.followup@edaegypt.gov.eg](mailto:pv.followup@edaegypt.gov.eg)

Hotline: 15301




May 2023

QR code:

(For Physicians) QR code:



(For Patients) QR code:



May 2023

And/ Or:

Medizen Pharmaceutical Industries-Pharmacovigilance directorate

Address: 426 El-Horeya Avenue, Roushdy, Alexandria

Tel: 03-5448585 / 01225659000

E-mail: [medizen.pv@gmail.com](mailto:medizen.pv@gmail.com)



May 2023